




مركز الكويت لمكافحة السرطان
Kuwait Cancer Control Center

CARBOplatin Concomitant with Radiotherapy



Ministry of Health



* C R B - 0 0 0 0 - 0 4 - 0 6 - R T *

Name:

File #:

Ht (cm):

Nationality:

Civil ID:

Wt (Kg):

Gender/Age:

DOB:

BSA (m²):

Approved indication(s): - Locally advanced head and neck cancers

Central line: Available NA

Allergies: NKA Yes, specify; _____

Parameters: Initiate treatment only if ANC \geq 1500; HB \geq 80; Plt \geq 100,000; CrCl $>$ 45 ml/min

Pre-treatment Medications: (30 min before starting treatment)

Ondansetron 8 mg PO/IV
Dexamethasone 12 mg PO/IV
Ranitidine 50 mg PO/IV

Standard Protocol:

DRUG	DOSE	INSTRUCTIONS	DAYS
CARBOplatin	AUC 2	IV in 250 mL D5W over 30 min.	D1, 8, 15
To be repeated every 4 weeks, as long as the patient on external beam radiation therapy (EBRT). N.B.: Start the first cycle of chemotherapy with Day1 of radiotherapy.			

Special instructions: Calvert method was used to calculate CARBOplatin dose based on serum creatinine. If AUC 2 is used, the maximum CARBOplatin dose = 300 mg.

Treatment Description:

Cycle	DAY	DATE	CARBOplatin	Physician	Consultant
C# __	D1				
	D8				
	D15				

Cycle	DAY	DATE	CARBOplatin	Physician	Consultant
C# __	D1				
	D8				
	D15				

Comments: